



Optimus EPS - Sterndrive Vessel Survey Checklist

Customer Name: _____ **Phone #:** _____ **Date:** _____

Customer Address: _____

City: _____ **State/Prov.:** _____ **ZIP CODE:** _____

Dealer Company Name: _____

Dealer Company Address: _____

Dealer Contact: _____ **Survey Location:** _____

Boat Description: _____ **HIN#** _____

Engine Brand/model: _____ **Number of Engines** _____

Engine Center to Center Distance _____

Tach Input: NMEA2000 Engine Gateway Converter to NMEA2000 Analog Tach Input

Autopilot Raymarine EV2 Garmin Reactor Simrad SG05
If not Garmin Reactor, Raymarine EV2 or SIMRAD SG05, customer will need to upgrade.

Helm Type Front Mount Rear Mount Classic Tilt Sport Tilt

Color Display Location: _____ Note: if located in electronics box extensions might be needed. (CM22401, CM204xx, CM100xx)

SmartCylinder(s) Confirm full stroke clearances

Steering Pump(s) Location: _____ (within 3' of PCM) Floor mount Wall mount

Pump Outlet fittings Horizontal and Vertical Position (comes with pump) ORB Fitting Needed?


Hydraulic Hose Layout

Distance from Port pump to cylinder _____ Round up to the nearest foot increment

If Applicable:

Distance from Starboard pump to cylinder _____ Round up to the nearest foot increment

Optimus EPS - Sterndrive
Vessel Survey Checklist



Layout Sketch